



SCARICO DOCCIA A PARETE  
IN-WALL SHOWER DRAIN

---



QUALITY



**6999LX**  
Finitura specchio  
Mirror finish



**6999SX**  
Finitura opaca  
Matt finish

## VALVOLA NRV IN SILICONE

La membrana in silicone, resistente alle alte temperature, garantisce un flusso d'acqua elevato e il blocco totale degli odori di ritorno dagli scarichi.

## SILICON NRV VALVE

The high temperatures -proof silicon membrane, allows a high flow rate and a total seal to prevent the return of bad smell from the drain.



Corpo scarico a muro  
Wall drain body

Valvola NRV  
NRV Valve


Ferma piastrelle  
Tiles stopper

Coperchio Inox AISI 316  
Stainless steel AISI 316 cover



Sifone Sogliola scarico ø 40 mm oppure ø 50 mm  
Sogliola Siphon ø 40 mm or ø 50 mm

Viti  
Screws



### MATERIALE MATERIAL

PP Nero, inox,  
Black PP, INOX Stainless steel



Outdoor  
Outdoor



Indoor  
Indoor



Antiodore  
Anti-odor



Non carrabile  
Unsuitable for heavy loads

CODICE CODE	DESCRIZIONE DESCRIPTION	CONFEZIONE PACKAGE
6999LX40S	ø 90 mm x ø 40 mm Griglia finitura lucida con scarico Mirror finish grid with outlet	10 200 52 x 39 x 65
6999LX50S	ø 90 mm x ø 50 mm Griglia finitura lucida con scarico Mirror finish grid with outlet	10 200 52 x 39 x 65
6999SX40S	ø 90 mm x ø 40 mm Griglia finitura satinata con scarico Satinated finish grid with outlet	10 200 52 x 39 x 65
6999SX50S	ø 90 mm x ø 50 mm Griglia finitura satinata con scarico Satinated finish grid with outlet	10 200 52 x 39 x 65



6999LX



6999SX

