

# MINI DRAIN



SCARICO PAVIMENTO ULTRA RIBASSATO  
ULTRA LOW FLOOR DRAIN

---



  
MADE IN ITALY


**BONOMINI.COM**

# MINI DRAIN

Sifoni pavimento  
Floor drain




## GRIGLIA



Griglia in acciaio inox  
Stainless steel grid



## COPERCHIO PIASTRELLABILE




Valvola NRV in silicone  
NRV silicon valve



Manichetta  
Flange

## SCARICO



Recipiente in silicone  
Silicone bowl



OR di tenuta  
OR seal



Corpo del sifone in PP  
PP siphon body



## FINITURA FINISH

Griglia in acciaio inox  
Stainless steel grid



Coperchio piastrellabile  
Tileable cover





## VALVOLA NRV IN SILICONE

La membrana in silicone, resistente alle alte temperature, garantisce un flusso d'acqua elevato e il blocco totale degli odori di ritorno dagli scarichi.

## SILICON NRV VALVE

The high temperatures -proof silicon membrane, allows a high flow rate and a total seal to prevent the return of bad smell from the drain.



# MINI DRAIN

Sifoni pavimento  
Floor drain



## 6310IX



### MATERIALE MATERIAL

PP Nero, Inox  
PP Black, INOX Stainless steel



Outdoor  
Outdoor



Indoor  
Indoor



Antiodore  
Anti-odor



Non carrabile  
Unsuitable for heavy loads

CODICE CODE	DESCRIZIONE DESCRIPTION	CONFEZIONE PACKAGE
6310IX40S9	Outlet ø 40 mm, H 45 mm Manichetta standard 10 x 10 cm Standard 10 x 10 cm flange	20 100 61 x 42 x 63
6310IX50S9	Outlet ø 50 mm, H 57 mm Manichetta standard 10 x 10 cm Standard 10 x 10 cm flange	10 80 52 x 39 x 65

## 6315IX



### MATERIALE MATERIAL

PP Nero, Inox lucido  
PP Black, Polished stainless steel



Outdoor  
Outdoor



Indoor  
Indoor



Antiodore  
Anti-odor



Non carrabile  
Unsuitable for heavy loads

CODICE CODE	DESCRIZIONE DESCRIPTION	CONFEZIONE PACKAGE
6315IX40S9	Outlet ø 40 mm, H 45 mm Manichetta standard 15 x 15 cm Standard 15 x 15 cm flange	10 80 52 x 39 x 65
6315IX50S9	Outlet ø 50 mm, H 57 mm Manichetta standard 15 x 15 cm Standard 15 x 15 cm flange	10 80 52 x 39 x 65

## 6310MX



### MATERIALE MATERIAL

PP Nero, Inox lucido  
PP Black, Polished stainless steel



Outdoor  
Outdoor



Indoor  
Indoor



Antiodore  
Anti-odor



Non carrabile  
Unsuitable for heavy loads

CODICE CODE	DESCRIZIONE DESCRIPTION	CONFEZIONE PACKAGE
6310MX40S9	Outlet ø 40 mm, H 45 mm Coperchio piastrellabile 10 x 10 cm Tileable cover 10 x 10 cm flange	20 100 61 x 42 x 63
6310MX50S9	Outlet ø 50 mm, H 57 mm Coperchio piastrellabile 10 x 10 cm Tileable cover 10 x 10 cm flange	10 80 52 x 39 x 65

## 6315MX



### MATERIALE MATERIAL

PP Nero, Inox  
PP Black, INOX Stainless steel



Outdoor  
Outdoor



Indoor  
Indoor



Antiodore  
Anti-odor



Non carrabile  
Unsuitable for heavy loads

CODICE CODE	DESCRIZIONE DESCRIPTION	CONFEZIONE PACKAGE
6315MX40S9	Outlet ø 40 mm, H 45 mm Coperchio piastrellabile 15 x 15 cm Tileable cover 15 x 15 cm flange	10 80 52 x 39 x 65
6315MX50S9	Outlet ø 50 mm, H 57 mm Coperchio piastrellabile 15 x 15 cm Tileable cover 15 x 15 cm flange	10 80 52 x 39 x 65



6310IX40S9 \_\_\_\_\_



6315IX40S9 \_\_\_\_\_



6310MX40S9 \_\_\_\_\_




6315MX40S9 \_\_\_\_\_



6310IX50S9 \_\_\_\_\_



6315IX50S9 \_\_\_\_\_



6310MX50S9 \_\_\_\_\_



6315MX50S9 \_\_\_\_\_

